UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/809,591	03/25/2004	Dwip N. Banerjee	AUS920031004US1	7128

34533   7590   12/24/2008
INTERNATIONAL CORP (BLF)
c/o BIGGERS & OHANIAN, LLP
P.O. BOX 1469
AUSTIN, TX 78767-1469

EXAMINER
ANDREWS, LEON T

ART UNIT	PAPER NUMBER
2416	

MAIL DATE	DELIVERY MODE
12/24/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
Office Action Summary	10/809,591	BANERJEE ET AL.
	Examiner	Art Unit
	LEON ANDREWS	2416

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>15 September 2008</u>.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) <u>1 and 3-6</u> is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) <u>1 and 3-6</u> is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO/SB/08)
    Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____.

5)☐ Notice of Informal Patent Application

6)☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 103

1.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or

described as set forth in section 102 of this title, if the differences between the subject matter

sought to be patented and the prior art are such that the subject matter as a whole would have

been obvious at the time the invention was made to a person having ordinary skill in the art

to which said subject matter pertains. Patentability shall not be negatived by the manner in

which the invention was made.

Claims 1 and 3-6 are being rejected under 35 U.S.C. 103(a) as being unpatentable over Firoiu et

al. (Patent No.: US 7,149,664) in view of Forest et al. (Pub. No.: US 2004/0081079 A1).

Regarding Claim 1, Firoiu et al. discloses a method for dynamically provisioning computer

system resources (method for modeling dynamics of a queue, column 2, lines 9-11), the method

comprising:

monitoring a connection performance parameter of a data communications port (each

node (connection), having at least one ingress and one egress port is regulated (monitored) by a

node congestion control module which also regulates the average queue size, column 3, lines 37-

48) operating in a data communications protocol (TCP as the transport layer protocol, column 3,

lines 53-54) having a connection backlog queue (Fig. 13, Queue) having a connection backlog

queue size (Fig. 13, Queue Size), the connection backlog queue comprising one or more

connection requests (end-system congestion control module responds to the node congestion

control module's acknowledgement (requests) packets indicating congestion, by decreasing the

sending rate, column 3, lines 37-60),

   wherein monitoring a connection performance parameter of a data communications port

(each node (connection), having at least one ingress and one egress port is regulated (monitored)

by a node congestion control module which also regulates the average queue size, column 3,

lines 37-48) further comprises:

   determine that the connection backlog queue is full (data is received and the control

function determines that the queue size exceeds a preset threshold (queue is full), column 1, lines

50-53); and

   calculating an average accept processing time (data that a link can process in a given

time, column 3, lines 34-35) and calculating an average connection request arrival interval (Fig.

15, I; over a time period, I, sampling the queue size every 6 seconds to determine the average

queue size, column 10, lines 50-51; averaging interval is equal to the period and the value does

not change when the interval is translated in time, column 11, lines 43-46) for the connection

backlog queue, wherein:

   the accept processing time comprises the time interval between accepting connections

(round transmission trip time for data to be sent from the first node to the second node and an

acknowledgement to be received by the first node, column 2, lines 18-20) ; and

the connection request arrival interval (Fig. 15, I, RATE, sending rate verses time for communications column 3, lines 3-4; rates based on the minimum time for a packet being sent, column 10, lines 63-65; over a given time period, I, the exponentially weighted moving average (rate) is recursively based on the value of I, column 10, lines 51-58; sending rate over time increases or decreases depending on whether or not the packet is dropped, column 11, lines 37-40) comprises the inverse of the connection request rate, the connection request rate comprising a rate (Fig. 15, RATE) at which connection requests arrive and are placed in the connection backlog queue (Fig. 13, Queue); and

changing the connection backlog queue size in dependence upon the monitored connection performance parameter without interrupting the operation of the data communications port and without user intervention (parameters of the queue control include the maximum expected queue size during the operation from the queue law controlling function (without interruption or intervention), column 2, lines 24-27) wherein changing the connection backlog queue size further comprises increasing the connection backlog queue size if the accept processing time is greater than the connection request arrival interval (Fig. 12, 1200, 1210, 1220, maximum traffic condition (greater processing time), use maximum queue law function, set buffer size to a value greater than the minimum buffer size).

Firoiu et al. fails to disclose a connection request.

But, Forest et al. discloses that a connection request is detected for the transmission start sequence, paragraph [0728], page 25, lines 4-6.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time

the invention was made to use Forest et al.'s connection request because this would initiate a

proper connection request to the network before the actual frame or symbol is transmitted,

paragraph [0728], page 25, lines 2-4.

Regarding Claim 3, Firoiu et al. discloses a method of claim 1 wherein:

monitoring a connection performance parameter (management of a queue at a node in the

network, column 1, lines 14-15) further comprises monitoring a connection backlog queue load

(Fig. 10, 1020, a maximum value at Qmax; node receive packets which are stored and queued in

a buffer, column 3, lines 38-41); and

changing the connection backlog queue size further comprises changing the backlog

queue size in dependence upon the connection backlog queue load (Figs. 10. 1000, 1010,

calculate the maximum queue and designate the Qmax to a point above the maximum queue).

Firoiu et al. fails to disclose a connection request.

Regarding Claim 4, Firoiu et al. discloses a method of claim 1 wherein:

monitoring a connection performance parameter (management of a queue at a node in the

network, column 1, lines 14-15) further comprises calculating an average round trip time

(calculation of the average round trip time for data to be sent from the first node to the second

node and acknowledgement to be received by the first node, column 2, lines 18-21) for a portion

of a connection handshake (Fig. 1, link utilization between the first and second nodes, column 2,

lines 16-17) and calculating an average arrival interval (Fig. 15, P,I) between connection

requests; and

changing the connection backlog queue size further comprises increasing the connection backlog

queue size (the queue size is increased when the buffer size is increased, column 1, lines 35-36)

if the average arrival interval is less than the average round trip time ((Fig. 15, P, I) <

(calculation of the average round trip time for data to be sent from the first node to the second

node and acknowledgement to be received by the first node, column 2, lines 18-21)) and

decreasing the connection backlog queue size (Fig. 6, Qmin; decreasing the size of the average

queue in the buffer, column 4, line 9-10) if the average arrival interval is greater than the

average round trip time ((Fig. 15, P,I) > (calculation of the average round trip time for data to be

sent from the first node to the second node and acknowledgement to be received by the first

node, column 2, lines 18-21)).

Regarding Claim 5, Firoiu et al. discloses a method of claim 1 wherein:

monitoring a connection performance parameter (management of a queue at a node in the

network, column 1, lines 14-15) further comprises calculating a bandwidth delay product

(resource demand exceeds capacity when data is not sent as quickly as it is received, column 1,

lines 20-23) for a connection backlog queue (Fig. 13, Queue and Queue size) and comparing the

bandwidth delay product with the queue size (operation point can be compared to the queue size,

column 12, lines 31-32); and

changing the connection backlog queue size (parameters of the queue control include the

maximum expected queue size during the operation from the queue law controlling function,

column 2, lines 24-27) further comprises changing the backlog queue size to at least the

bandwidth delay product if the connection backlog queue size is less than the bandwidth delay

product ((Fig. 13, Queue and Queue size) < (resource demand exceeds capacity when data is not

sent as quickly as it is received, column 1, lines 20-23)).

Regarding Claims 6, Firoiu et al. discloses a method of claim 1 wherein:

monitoring a connection performance parameter (management of a queue at a node in the

network, column 1, lines 14-15) further comprises measuring accept processing time (Fig. 15, P,

I); and

changing the connection backlog queue size further comprises changing the backlog queue

size in dependence upon accept processing time (Fig. 15, variation in the sending rate is

reflected in a variation in the queue size, column 11, lines 41-42).

Citation of Pertinent Prior Art

2.   The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure.

Creemer (Patent Number: 5,951,644) discloses system for predicting and managing

network performance by managing and monitoring resource utilization and connection of

network.

Skirmont (Patent Number: US 6,252,848 B1) discloses system performance in a data

network through queue management based on ingress rate monitoring.

Walrand et al. (Patent No.: US 6,647,413 B1) discloses method and apparatus for measuring performance in packet switched networks.

Aweya et al. (Patent No.: US 6,901,593 B2) discloses active queue management with flow proportional buffering.

Alam et al. (Patent No.: US 7,069,313 B2) discloses methods and systems for preventing socket flooding during denial of service attacks.

Aznar et al. (Patent No.: US 6,754,182 B1) discloses method and apparatus for policing cell-based traffic.

Azenkot et al. (Patent No.: US 6,791,995 B1) discloses multichannel, multimode docsis headend receiver.

Response to Arguments

3.   Applicant's remarks filed September 9, 2008 have been clarified and considered as follows:

- In the remarks on page 4, applicant contends that Firoiu et al. does not teach or suggest receiving a connection request and determining that a backup queue is full.

- The examiner respectfully contends Firoiu et al. does not specifically disclose a connection request, but Forest et al. teaches that a connection request is detected for the transmission start sequence, paragraph [0728], page 25, lines 4-6. Also, Firoiu et al. discloses data is received and the control function

determines that the queue size exceeds a preset threshold (queue is full),

column 1, lines 50-53.

- In remarks on pages 5, applicant contends that since Firoiu et al. does not

  teach of suggest changing a connection backlog queue size without

  interrupting the operation or user intervention..

- The examiner respectfully contends that Firoiu et al. discloses parameters of

  the queue control include the maximum expected queue size during the

  operation from the queue law controlling function (without interruption or

  intervention), column 2, lines 24-27.

- In remarks on pages 6-8, applicant contends that Firoiu et al. does not teach of

  suggest a connection request. Also, a prima facie case of obviousness was not

  established. And, the combination of Firoiu et al. and Forest et al. do not

  teach or suggest the elements of the claims. As such, the claims should be

  allowed.

- The examiner respectfully contends that Firoiu et al. does not specifically

  disclose a connection request, but Forest et al. teaches that a connection

  request is detected for the transmission start sequence, paragraph [0728], page

  25, lines 4-6. Also, the examiner maintains the prima facie case of

  obviousness as established in the prior prosecution and the combination of

Firoiu et al. and Forest et al. do teach or suggest the elements of the claims.

As such, the claims are not allowable.

Conclusion

4.   **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of

the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the date of this

final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Leon Andrews whose telephone number is (571) 270-1801. The

examiner can normally be reached on Monday through Friday 7:30 AM to 5:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Rao S. Seema can be reached on (571) 272-3174. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kevin C. Harper/

Primary Examiner, Art Unit 2416

LA/la
December 11, 2008